pop_up speaker DEOWORKS Audio/video | Lighting & Comfort Entertainment | IT

The flexible, invisible and integrated speaker system


Pop-up speaker is the system for creating a sound environment that opens up new positioning possibilities for speakers, making them effectively invisible when not in use.

Pop-up speaker is customizable both in materials and colors, and blends in seamlessly with any interior design solution, removing the need for exposed, fixed speakers or cables that spoil the appearance and decor of an environment.


Pop-up speaker is ideal for outdoor environments like swimming pool areas or the external decks of yachts thanks to its waterproof technology and also adapts to open space interiors, with a clean, minimal style.

Pop-up speaker is equipped with passive K-array speakers powered at low voltage and features a closing mechanism made by AMS Advanced Mechanical Solutions to ensure that the product opens and closes silently.

- → Weight30 kg (66.1 lb)
- → Power supply24V DC










Pop_up speaker features

- → Anodized aluminum for maximum corrosion resistance and durability
- → Sleek design for maximum safety during handling (1)
- → Built-in end-strokes for fully closed and open positions
- → Noiseless internal IP69K actuator
- → Watertight system in completely closed and open positions (1-2)

- Solid and robust system without vibrations, ideal support for the speaker
- Possibility to install a drainage on the bottom
- → Unified Speakon® connector for audio cable and 24VDC power supply (single cable)
- Customizable connector orientation around the case (3-4)
- → Material, finishing and color customizable on request

ightarrow Dimensions











Python-KP52 I



Type Line array

Transducers

6 x 3.15" neodymium magnet woofers

Frequency Response 120 Hz – 18 kHz (-6 dB)

120 Hz - 18 kHz Max SPL 128 dB (peak) Rated Power up to 360W Coverage

V. 10° - 45° | H. 90°

HANDLING & FINISHES

Dimensions (WxHxD) 89 x 520 x 118 mm (3.5 x 20.5 x 4.7 in) Weight

5,8 kg (12.78 lb)

Material

Stainless Steel

IP RATING

IP 64





